Bounce-Rite Trampolines

Bounce High **Bounce Safe**

User's Manual

Assembly, Installation, Care and Maintenance, and Use Instructions

For 12 and 14 foot Round Trampoline Enclosures

WARNING

This trampoline enclosure is only to be used as an enclosure for a trampoline of a size for which the enclosure is designed.



14 foot model #:
ESS-BB14TE

12 foot model #:
ESS-BB12TE

Have Questions?

Please visit our website at www.bounce-rite.com or contact our Customer Service toll-free at 1-888-260-5766 between 9am-5pm Monday through Friday, Central Time, or send us an email at: customerservice@bounce-rite.com.

Table of Contents

WARNING INFORMATION..... 1
WARNING LABEL PLACEMENT..... 1
USE INSTRUCTIONS..... 2
PARTS LIST..... 3
ORDERING REPLACEMENT PARTS..... 3
ASSEMBLY INSTRUCTIONS..... 4
DISASSEMBLY INSTRUCTIONS..... 6
CARE AND MAINTENANCE INSTRUCTIONS..... 7
OTHER CONSIDERATIONS..... 7
MOVING THE TRAMPOLINE..... 7
LIMITED WARRANTY..... 8

WARNING

Read these materials prior to assembling and using this trampoline. Save this manual for future reference.

WARNING

Maximum weight of the user NOT to exceed 220 lbs/100Kgs.

Thank you for purchasing this Bounce-Rite product. Bounce-Rite products are designed with safety and quality in mind, so we hope this trampoline enclosure together with your trampoline will provide you with safe fun and fitness for years to come.

Please read the entire User's manual thoroughly. It is important that you read all warning and safety precautions and instructions. Owners, Supervisors and Users should be aware of instructions, respective responsibilities and roles and all safety precautions before use.

If you have any questions or need assistance, please visit our website at www.bounce-rite.com, email us at customerservice@bounce-rite.com or call us toll-free at 1-888-260-5766. Our Customer Service is available Monday through Friday, 9 am – 5pm, Central Time. To assist you as quickly as possible, please reference your model number when contacting us.

WARNING INFORMATION

⚠ WARNING

1. Please read the entire Users Manual and follow all of the warnings, precautions and instructions before assembly and installation of this trampoline enclosure. **It is the trampoline enclosure owner and supervisor's responsibility to make sure users are aware of all safety precautions before use.**

2. DO NOT attempt or allow somersaults on the trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.

3. DO NOT allow more than one person inside the trampoline enclosure. Use by more than one person at the same time can result in serious injury.

4. Use trampoline enclosure only with mature, knowledgeable supervision.

WARNING LABEL PLACEMENT



WARNING !

Trampoline Enclosure Safety Instructions

Do not land on head or neck. Paralysis or death can result, even if you land in the middle of the trampoline mat (bed). Do not do somersaults (flips).

Only one person at a time in the trampoline enclosure. Multiple jumpers increase the chances of loss of control and this can result in broken head, neck, back or leg.

ATTACH TO NETTING AT DOOR

1. Use trampoline enclosure only with mature, knowledgeable supervision. Enforce all safety rules and be familiar with the information in the User's manual to help users in following trampoline enclosure instructions and trampoline safety.
2. This trampoline enclosure system is not recommended for use by children under 6 years of age.
3. Do not exceed the weight limit recommended by the manufacturer. The maximum weight of user NOT to exceed 220 lbs/100 Kgs.
4. Use only when the trampoline mat (bed) is clean and dry. Inspect the trampoline and trampoline enclosure prior to each use and replace any worn or damaged parts.
5. Use only when the enclosure barrier has no holes, pole clamps are tightly secured to the poles and the support (frame), and the barrier is properly suspended.
6. Do not use the trampoline enclosure system when under the influence of alcohol or drugs.
7. Avoid jumping too high or for too long. Always control your jump. Do not try to jump over the barrier.
8. Do not intentionally rebound off the barrier. Do not hang from, kick, cut or climb on the barrier.
9. Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the barrier.
10. Do not attach anything to the barrier that is not manufacturer approved accessory or part of the enclosure system.
11. Climb on and off the trampoline at the enclosure door or barrier opening. Do not jump on or off. Do not crawl under the barrier. Do not use the trampoline as a springboard to other objects.
12. Do not jump from other objects, buildings, or surfaces, onto the trampoline, or into or over the trampoline enclosure.

Essessco, Inc.
2900 N. Quinlan Park Rd., B-240 PMB 230
Austin, TX 78732
14 foot Model # ESS-BB14TE, 12 foot Model # ESS-BB12TE

©2009 Essessco, Inc. All rights reserved.



Do Not Remove Warning labels and Warning placards.

Warning labels and placard images not to scale.

USE INSTRUCTIONS

WARNING

1. DO NOT attempt or allow somersaults on the trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.

2. DO NOT allow more than one person inside the trampoline enclosure. Use by more than one person at the same time can result in serious injury.

3. Use trampoline enclosure only with mature, knowledgeable supervision.

4. Inspect the trampoline enclosure before each use. Make sure the barrier and the enclosure support (frame) padding is correctly and securely positioned. Replace any worn, defective, or missing parts.

5. Do not attempt to jump over the barrier. Avoid jumping too high or for too long. Always control your jump.

6. Do not attempt to crawl under the barrier.

7. Do not intentionally rebound off the barrier.

8. Do not hang from, kick, cut or climb on the barrier.

9. Wear clothing free of drawstrings, hooks, loops or anything that could get caught in the barrier.

10. Do not attach anything to the barrier that is not a manufacturer-approved accessory or part of the enclosure system.

11. Enter and exit the enclosure only at the enclosure door or barrier opening designated for that purpose.

12. Read all instructions before using the trampoline enclosure. Warnings and instructions for the care, maintenance, and use of this trampoline enclosure are included to promote safe, enjoyable use of this equipment.

13. Since using a trampoline is considered a physical activity, it is recommended that anyone considering use of the trampoline and attached trampoline enclosure consult a physician prior to use.

14. This trampoline enclosure is not recommended for use by children under 6 years of age.

15. Do not exceed the weight limit recommendation of 220 lbs/100Kgs.

16. Enforce all safety rules.

17. Do not use trampoline enclosure if poles are loose or if there are holes in enclosure netting.

18. Do not use the trampoline enclosure system when under the influence of drugs or alcohol.

19. Climb on and off the trampoline at the enclosure door or barrier opening. Do not jump on or off. Do not use the trampoline as a springboard to other objects.

20. Do not jump from other objects, buildings, or surfaces, onto the trampoline, or into or over the trampoline enclosure.

Please note: There are two types of closures for the trampoline enclosure door. There is a zipper closure and a toggle closure. Both do not have to be used at the same time, but it is recommended that you use the toggle closure in conjunction with the zipper closure when securing the trampoline from unauthorized use because it is harder for children to open the toggle closure.

PARTS LIST

		14'	12'
Part #	Description	Quantity	Quantity
1	A-B post with foam sleeve	8	8
2	C-D post with foam sleeve	8	8
3	Tube cap	8	8
4	Enclosure netting with tube cap straps	1	1
5	Cord	8	8
6	User's manual	1	1

ORDERING REPLACEMENT PARTS

To order replacement parts, please visit our website at www.bounce-rite.com or email us at customerservice@bounce-rite.com or call us toll-free at 1-888-260-5766. Our Customer Service is available Monday through Friday, 9 am – 5pm, Central Time.

ASSEMBLY INSTRUCTIONS

First steps before assembly:

- A 6 foot ladder is required for assembly.
- Two people are required for assembly.
- Use gloves to protect hands from pinch points during assembly.
- Ensure that trampoline is properly assembled prior to assembling this enclosure.
- Place the trampoline on a level surface before use.
- Ensure that there is adequate overhead clearance. A minimum of 24 feet (7.3 meters) from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards.
- Lateral clearance is essential. Place the trampoline and trampoline enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline.
- Use the trampoline in a well-lit area. Artificial illumination may be required for indoor or shady areas.
- Secure the trampoline and enclosure against unauthorized or unsupervised use.
- Remove any obstructions from beneath the trampoline.
- Remove any obstructions from beneath the trampoline and trampoline enclosure.
- **The trampoline enclosure is only to be used as an enclosure for a trampoline of a size for which the enclosure is designed.**
- Lay out all the trampoline parts. Check to make sure all parts are present per the parts list on the previous page. If you are missing any part, please see page 11, ORDERING REPLACEMENT PARTS.

Steps in assembly:

1. Read the above First Steps before assembly.

2. Insert the A-B Post with the Foam sleeve (1) into the C-D Post with Foam sleeve (2). The B end inserts into the C end. The B tapered end is shorter than the A, and the D end is tapered and the C end is not tapered. These two poles assembled together are now called the Enclosure pole assembly. Please fit together the other 7 pole assemblies. Please see Figure 1 and 2.



Figure 1

3. Insert the Tube cap (3) onto the D end. Please insert the other tube caps (3) into the other 7 Enclosure pole assemblies. Please see Figures 1 and 2.



Figure 2

4. With one hand, pull open the slit located along the outside of the Frame Pad seam. Please see Figure 3.



Figure 3

Find the enclosure post base (this is welded on the T connection tube assembled on the trampoline frame. Please see Figure 4.),



Figure 4

and insert the Enclosure pole assembly (A end). Please see Figure 5.



Figure 5

5. Spread the enclosure netting (4) on the trampoline bed, with the door of the netting where you want the user's to climb onto the trampoline. Make sure the door is between one of the enclosure posts, so it is not obstructed by one of the posts.

6. Once the door of the netting (4) is where you want it, slip one tube cap strap, which is attached to the enclosure netting (4), onto a Tube cap (3). Slip the other 7 straps onto the other 7 Tube caps (3). Please see Figure 6.



Figure 6

7. Pull down the enclosure netting, so that the outside bottom seam is close to the trampoline bed. Take one of the 8 cords (5) and tie a double knot (this first knot of the cord is called a beginning knot) to the left side of one of the trampoline bed triangle rings. Thread the free end of the cord (5) through the next left netting eyelet closest to the double knot on the triangle ring. The cord should then be threaded through the next Triangle ring and then through then next eyelet and so on until you get to the last triangle ring for the cord (For the 14 foot trampoline –the last triangle ring is the 11th ring including the one with the beginning knot. For the 12 foot trampoline, it will be the 9th triangle ring, including the one with the beginning knot). Tie a double knot in the cord (5) to the right side of the last triangle ring. Make sure the cord (5) is taut before tying off. Please see Figure 7.



Figure 7

8. Take the next cord (5) and tie a double knot to the left side of the same triangle ring that has the last cord's end knot. Begin the same process as in Step 7. Complete this same process with the final 6 cords (5). Please see Figure 8.



Figure 8

Push the trampoline frame pad back into its proper place and make sure it is secure. The trampoline enclosure is now fully assembled.

DISASSEMBLY INSTRUCTIONS

In order to disassemble the trampoline enclosure, follow steps 1-8 in reverse order.

CARE AND MAINTENANCE INSTRUCTIONS

GENERAL CARE AND MAINTENANCE

1. Inspect the trampoline enclosure before each use and replace any worn, defective, or missing parts. The following conditions could represent potential hazards:

   (A) Missing, improperly positioned, or insecurely attached barrier or enclosure support system (frame) padding and pole caps,
   (B) Punctures, frays, tears, or holes worn in the barrier or support system (frame) padding,
   (C) Deterioration in the stitching or fabric of the barrier or support system (frame) padding,
   (D) A Bent or broken support system (frame),
   (E) A sagging barrier, or
   (F) Sharp protrusions on the support system (frame) or suspension system.

2. Do not allow pets or animals inside the trampoline enclosure or on the trampoline. Animal claws and teeth may damage trampoline enclosure.

3. Users should not wear street, tennis or hard-soled shoes inside the trampoline enclosure or on the trampoline.

4. Users should remove all sharp objects from his person prior to using the trampoline enclosure or trampoline. Any type of sharp or pointed objects should never touch the trampoline enclosure or trampoline.

5. We recommend removing the enclosure from the trampoline during harsh weather conditions or during long periods of non-use. Make sure the enclosure is dry and clean before storing in a dry area.

6. The trampoline enclosure should be cleaned periodically with a sponge of mild detergent (i.e. dish soap) and water to take off any excessive dirt or debris. Rinse with water and air dry.

OTHER CONSIDERATIONS

1. HIGH WIND

If you anticipate high winds, the trampoline and attached trampoline enclosure should be moved to a sheltered location to keep from being damaged.

You can also remove and properly store the trampoline enclosure and then secure the trampoline frame to the ground using ropes and stakes (not included).

Use of at least three ropes and three stakes are necessary. You must attach the ropes to the top of the frame. Attaching the ropes to the only the legs or base to the ground may cause separation from the frame sockets.

The tops of the stakes should be covered to avoid injury if users fall on the stakes, and the stakes should be at ground level so they will not create a tripping hazard.

2. MOVING THE TRAMPOLINE

A. Short distance – The trampoline enclosure and trampoline should be moved by a minimum of two persons. The trampoline enclosure and trampoline should be kept horizontal, and lifted slightly.

B. Long distance – The trampoline enclosure should be disassembled (see Page 6) and removed and the trampoline should be disassembled (see Trampoline User's guide).